

校对清单
比
对
基
准
内
容

标注颜色/尺寸

材质

参考编码

A	1	2	3	4	5	6																																																																																																																																																																																						
	项目																																																																																																																																																																																											
	库																																																																																																																																																																																											
文件名																																																																																																																																																																																												
B	@删除部分型号 <table><tr><th colspan="5">PRODUCT FICHE</th></tr><tr><td colspan="2">Trade Mark</td><td colspan="3">Carrier</td></tr><tr><td colspan="2">Model: Indoor</td><td>42QTD024D8SN</td><td>42QZL024D8SN</td><td>42QSV024D8S</td></tr><tr><td colspan="2">Model: Outdoor</td><td>38QUS024D8SX</td><td>38QUS024D8SX</td><td>38QUS024D8SX</td></tr><tr><td colspan="2">Sound power level at standard rating conditions (Indoor/Outdoor)</td><td>[dB(A)]</td><td>59/68</td><td>63/69</td><td>56/69</td></tr><tr><td colspan="2">Refrigerant type</td><td></td><td>R32</td><td>R32</td><td>R32</td></tr><tr><td colspan="2">GWP^[1]</td><td></td><td>675</td><td>675</td><td>675</td></tr><tr><td colspan="2">Charge amount^[1]</td><td>[kg]</td><td>1.40</td><td>1.40</td><td>1.40</td></tr><tr><td colspan="2">CO2 equivalent^[1]</td><td>[tonnes]</td><td>0.945</td><td>0.945</td><td>0.945</td></tr><tr><td colspan="2">SEER</td><td>[W/W]</td><td>6.3</td><td>6.3</td><td>6.6</td></tr><tr><td colspan="2">Energy efficiency class in cooling</td><td></td><td>A++</td><td>A++</td><td>A++</td></tr><tr><td colspan="2">Annual electricity consumption in cooling^[2]</td><td>[kWh/a]</td><td>394</td><td>394</td><td>377</td></tr><tr><td colspan="2">Design load in cooling mode (Pdesign)</td><td>[kW]</td><td>7.10</td><td>7.10</td><td>7.10</td></tr><tr><td colspan="2">SCOP (average heating season)</td><td>[W/W]</td><td>4.1</td><td>4.1</td><td>4.2</td></tr><tr><td colspan="2">Energy efficiency class in heating (average season)</td><td></td><td>A+</td><td>A+</td><td>A+</td></tr><tr><td colspan="2">Annual electricity consumption in heating (average season)^[2]</td><td>[kWh/a]</td><td>2117</td><td>2015</td><td>1867</td></tr><tr><td colspan="2">Design load in heating mode (Pdesign)</td><td>[kW]</td><td>6.20</td><td>5.90</td><td>5.60</td></tr><tr><td colspan="2">Declared capacity at reference design condition (Average)</td><td>[kW]</td><td>5.348</td><td>5.18</td><td>5.273</td></tr><tr><td colspan="2">Back up heating capacity at reference design condition (Average)</td><td>[kW]</td><td>0.852</td><td>0.720</td><td>0.327</td></tr><tr><td colspan="2">SCOP (Warmer)</td><td>[W/W]</td><td>5.4</td><td>5.4</td><td>5.4</td></tr><tr><td colspan="2">Energy efficiency class in heating (Warmer)</td><td></td><td>A+++</td><td>A+++</td><td>A+++</td></tr><tr><td colspan="2">Annual electricity consumption in heating (Warmer)^[2]</td><td>[kWh/a]</td><td>1633</td><td>1478</td><td>1685</td></tr><tr><td colspan="2">Design load in heating mode (Pdesign) (Warmer)</td><td>[kW]</td><td>6.30</td><td>5.70</td><td>6.50</td></tr><tr><td colspan="2">Declared capacity at reference design condition (Warmer)</td><td>[kW]</td><td>6.300</td><td>5.700</td><td>6.500</td></tr><tr><td colspan="2">Back up heating capacity at reference design condition (Warmer)</td><td>[kW]</td><td>0.000</td><td>0.000</td><td>0.000</td></tr><tr><td colspan="6">[1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2 , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional</td></tr><tr><td colspan="6">Contains fluourinated greenhouse gases.</td></tr><tr><td colspan="6">Importer: AHI Carrier S.E. Europe Single Member S.A. Address: 18, Kifissou Avenue, 104 42 Athens, Attiki Greece</td></tr><tr><td colspan="6">Manufacturer: Century Carrier Residential Air-conditioning Equipment Co., Ltd. Address:Room 505, 5/F, Tower 3, Enterprise Square, 9 sheung Yuet Road,Kowloon Bay, Kowloon, Hong Kong</td></tr><tr><td colspan="6">[2] Energy consumption “XYZ” kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.</td></tr><tr><td colspan="6">Note: Please check the model information above according to the model name on the nameplate.</td></tr></table>						PRODUCT FICHE					Trade Mark		Carrier			Model: Indoor		42QTD024D8SN	42QZL024D8SN	42QSV024D8S	Model: Outdoor		38QUS024D8SX	38QUS024D8SX	38QUS024D8SX	Sound power level at standard rating conditions (Indoor/Outdoor)		[dB(A)]	59/68	63/69	56/69	Refrigerant type			R32	R32	R32	GWP ^[1]			675	675	675	Charge amount ^[1]		[kg]	1.40	1.40	1.40	CO2 equivalent ^[1]		[tonnes]	0.945	0.945	0.945	SEER		[W/W]	6.3	6.3	6.6	Energy efficiency class in cooling			A++	A++	A++	Annual electricity consumption in cooling ^[2]		[kWh/a]	394	394	377	Design load in cooling mode (Pdesign)		[kW]	7.10	7.10	7.10	SCOP (average heating season)		[W/W]	4.1	4.1	4.2	Energy efficiency class in heating (average season)			A+	A+	A+	Annual electricity consumption in heating (average season) ^[2]		[kWh/a]	2117	2015	1867	Design load in heating mode (Pdesign)		[kW]	6.20	5.90	5.60	Declared capacity at reference design condition (Average)		[kW]	5.348	5.18	5.273	Back up heating capacity at reference design condition (Average)		[kW]	0.852	0.720	0.327	SCOP (Warmer)		[W/W]	5.4	5.4	5.4	Energy efficiency class in heating (Warmer)			A+++	A+++	A+++	Annual electricity consumption in heating (Warmer) ^[2]		[kWh/a]	1633	1478	1685	Design load in heating mode (Pdesign) (Warmer)		[kW]	6.30	5.70	6.50	Declared capacity at reference design condition (Warmer)		[kW]	6.300	5.700	6.500	Back up heating capacity at reference design condition (Warmer)		[kW]	0.000	0.000	0.000	[1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2 , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional						Contains fluourinated greenhouse gases.						Importer: AHI Carrier S.E. Europe Single Member S.A. Address: 18, Kifissou Avenue, 104 42 Athens, Attiki Greece						Manufacturer: Century Carrier Residential Air-conditioning Equipment Co., Ltd. Address:Room 505, 5/F, Tower 3, Enterprise Square, 9 sheung Yuet Road,Kowloon Bay, Kowloon, Hong Kong						[2] Energy consumption “XYZ” kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.						Note: Please check the model information above according to the model name on the nameplate.					
							PRODUCT FICHE																																																																																																																																																																																					
							Trade Mark		Carrier																																																																																																																																																																																			
Model: Indoor		42QTD024D8SN	42QZL024D8SN	42QSV024D8S																																																																																																																																																																																								
Model: Outdoor		38QUS024D8SX	38QUS024D8SX	38QUS024D8SX																																																																																																																																																																																								
Sound power level at standard rating conditions (Indoor/Outdoor)		[dB(A)]	59/68	63/69	56/69																																																																																																																																																																																							
Refrigerant type			R32	R32	R32																																																																																																																																																																																							
GWP ^[1]			675	675	675																																																																																																																																																																																							
Charge amount ^[1]		[kg]	1.40	1.40	1.40																																																																																																																																																																																							
CO2 equivalent ^[1]		[tonnes]	0.945	0.945	0.945																																																																																																																																																																																							
SEER		[W/W]	6.3	6.3	6.6																																																																																																																																																																																							
Energy efficiency class in cooling			A++	A++	A++																																																																																																																																																																																							
Annual electricity consumption in cooling ^[2]		[kWh/a]	394	394	377																																																																																																																																																																																							
Design load in cooling mode (Pdesign)		[kW]	7.10	7.10	7.10																																																																																																																																																																																							
SCOP (average heating season)		[W/W]	4.1	4.1	4.2																																																																																																																																																																																							
Energy efficiency class in heating (average season)			A+	A+	A+																																																																																																																																																																																							
Annual electricity consumption in heating (average season) ^[2]		[kWh/a]	2117	2015	1867																																																																																																																																																																																							
Design load in heating mode (Pdesign)		[kW]	6.20	5.90	5.60																																																																																																																																																																																							
Declared capacity at reference design condition (Average)		[kW]	5.348	5.18	5.273																																																																																																																																																																																							
Back up heating capacity at reference design condition (Average)		[kW]	0.852	0.720	0.327																																																																																																																																																																																							
SCOP (Warmer)		[W/W]	5.4	5.4	5.4																																																																																																																																																																																							
Energy efficiency class in heating (Warmer)			A+++	A+++	A+++																																																																																																																																																																																							
Annual electricity consumption in heating (Warmer) ^[2]		[kWh/a]	1633	1478	1685																																																																																																																																																																																							
Design load in heating mode (Pdesign) (Warmer)		[kW]	6.30	5.70	6.50																																																																																																																																																																																							
Declared capacity at reference design condition (Warmer)		[kW]	6.300	5.700	6.500																																																																																																																																																																																							
Back up heating capacity at reference design condition (Warmer)		[kW]	0.000	0.000	0.000																																																																																																																																																																																							
[1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2 , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional																																																																																																																																																																																												
Contains fluourinated greenhouse gases.																																																																																																																																																																																												
Importer: AHI Carrier S.E. Europe Single Member S.A. Address: 18, Kifissou Avenue, 104 42 Athens, Attiki Greece																																																																																																																																																																																												
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co., Ltd. Address:Room 505, 5/F, Tower 3, Enterprise Square, 9 sheung Yuet Road,Kowloon Bay, Kowloon, Hong Kong																																																																																																																																																																																												
[2] Energy consumption “XYZ” kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.																																																																																																																																																																																												
Note: Please check the model information above according to the model name on the nameplate.																																																																																																																																																																																												
C																																																																																																																																																																																												
D																																																																																																																																																																																												
E	技术要求 (版本号 E，2017-03)																																																																																																																																																																																											
	1. 此为客牌 “” 产品信息卡。																																																																																																																																																																																											
	2. 产品信息卡印刷颜色为黑色。																																																																																																																																																																																											
F	3. 该信息卡的幅面大小为：A4, 并在背面右下角空白处印刷物料编码。																																																																																																																																																																																											
	4. 适用于客牌 “” 机型。																																																																																																																																																																																											
	5. 产品应符合QMK-J036. 1010《产品说明书技术条件》的有关要求。																																																																																																																																																																																											
G	6. 有RoHS指令要求的物料应符合QMK-J000. 1002《产品中限制使用有害物质的技术标准》。																																																																																																																																																																																											
	7. 有REACH要求的物料应符合QMK-J000. 1008《REACH法规要求技术标准》。																																																																																																																																																																																											
	Technical requirements(Ver. E,2017-3)																																																																																																																																																																																											
H	1. This manual(or similar material) is ___brand, which is to change the basic manual's trade mark, model and data. (Or: providing edition to new customer)																																																																																																																																																																																											
	2. The front page and inside page trade mark are dimensioned in the drawing above(or similar material) , the color is Pantone: (undimensioned font and pattern printing color is black)																																																																																																																																																																																											
	3. The manual's dimension is:(directly list the actual dimension width * hight,common occasion is A4)																																																																																																																																																																																											
H	4. This manual is available to the ___brand's _____unit.																																																																																																																																																																																											
	5. Finished manuals shall comply with the relevant requirements QMK-J036. 1010 technical requirementsfor Product Manual.																																																																																																																																																																																											
	6. Materials subject to RoHS shall comply with QMK-J000.1002 Technical Standard for Restricted Hazardous Substance in the Products of MIDEA.																																																																																																																																																																																											
H	7.Materials subject to REACH shall comply with QMK-J000.1008 Technical Standard for REACH of MIDEA.																																																																																																																																																																																											
	16122700A23729																																																																																																																																																																																											
	CARRIER-EU-KFR71W/BP3N8-X430-W(GA)-030 1 (38QUS024D8SX,配冷霸42QTD024D8SN,座吊 42QZL024D8SN,风管42QSV024D8S,希腊方向) (客牌物料)																																																																																																																																																																																											
H	@																																																																																																																																																																																											
	潘继宇 2024.12.28																																																																																																																																																																																											
	产品信息卡																																																																																																																																																																																											
H	标记	处数	更改文件号	签 字	日 期	材料 铜版纸157g/m ²																																																																																																																																																																																						
	绘 图	潘继宇	审 核				图 样 标 记		重 量	比 例																																																																																																																																																																																		
	设 计	潘继宇	标 准 化					K		1:1																																																																																																																																																																																		
H	校 对		审 定			共 1 页	第 1 页	广东美的制冷设备有限公司																																																																																																																																																																																				
	会 签		日 期	2024.6.07																																																																																																																																																																																								
	1		2		3		4		5		6																																																																																																																																																																																	