

| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------|---|---|---|---|---------------|--|------------|---------|---------------|--------------|----------------|--------------|--|-------|------------------|-----|--------------------|-----|-----------------------------------|------|--|-------|------|-----|------------------------------------|-----|--|-----|--|-----|-------------------------------------|-----|---|-----|---|------|--|-----|--|------|---|-------|---------------------|-----|---|------|---|------|---|-----|---|-----|--|-------|--|--|--|--|--|--|---|--|--|--|--|--|
| 项目 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 库 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 文件名 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 裁切线 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th colspan="2">PRODUCT FICHE</th> </tr> </thead> <tbody> <tr> <td>Trade Mark</td> <td>Carrier</td> </tr> <tr> <td>Model: Indoor</td> <td>42QCE024D8SH</td> </tr> <tr> <td>Model: Outdoor</td> <td>38QCE024D8SH</td> </tr> <tr> <td>Sound power level at standard rating conditions (Indoor/Outdoor) [dB(A)]</td> <td>60/68</td> </tr> <tr> <td>Refrigerant type</td> <td>R32</td> </tr> <tr> <td>GWP^[1]</td> <td>675</td> </tr> <tr> <td>Charge amount^[1] [kg]</td> <td>1.08</td> </tr> <tr> <td>CO2 equivalent^[1] [tonnes]</td> <td>0.729</td> </tr> <tr> <td>SEER</td> <td>7.9</td> </tr> <tr> <td>Energy efficiency class in cooling</td> <td>A++</td> </tr> <tr> <td>Annual electricity consumption in cooling^[2] [kWh/a]</td> <td>311</td> </tr> <tr> <td>Design load in cooling mode (Pdesign) [kW]</td> <td>7.0</td> </tr> <tr> <td>SCOP (average heating season) [W/W]</td> <td>4.6</td> </tr> <tr> <td>Energy efficiency class in heating (average season)</td> <td>A++</td> </tr> <tr> <td>Annual electricity consumption in heating (average season)^[2] [kWh/a]</td> <td>1461</td> </tr> <tr> <td>Design load in heating mode (Pdesign) [kW]</td> <td>4.9</td> </tr> <tr> <td>Declared capacity at reference design condition (Average) [kW]</td> <td>4.25</td> </tr> <tr> <td>Back up heating capacity at reference design condition (Average) [kW]</td> <td>0.650</td> </tr> <tr> <td>SCOP (Warmer) [W/W]</td> <td>5.1</td> </tr> <tr> <td>Energy efficiency class in heating (Warmer)</td> <td>A+++</td> </tr> <tr> <td>Annual electricity consumption in heating (Warmer)^[2] [kWh/a]</td> <td>1373</td> </tr> <tr> <td>Design load in heating mode (Pdesign) (Warmer) [kW]</td> <td>5.0</td> </tr> <tr> <td>Declared capacity at reference design condition (Warmer) [kW]</td> <td>5.0</td> </tr> <tr> <td>Back up heating capacity at reference design condition (Warmer) [kW]</td> <td>0.000</td> </tr> <tr> <td colspan="2">[1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional</td> </tr> <tr> <td colspan="2">Contains fluorinated greenhouse gases.</td> </tr> <tr> <td colspan="2">Importer: AHI Carrier S.E. Europe Single Member S.A. Address: 18, Kifissou Avenue, 104 42 Athens, Attiki Greece</td> </tr> <tr> <td colspan="2">Manufacturer: Century Carrier Residential Air-conditioning Equipment Co., Ltd. Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong</td> </tr> <tr> <td colspan="2">[2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.</td> </tr> <tr> <td colspan="2">Note: Please check the model information above according to the model name on the nameplate.</td> </tr> </tbody> </table> | | | | | | PRODUCT FICHE | | Trade Mark | Carrier | Model: Indoor | 42QCE024D8SH | Model: Outdoor | 38QCE024D8SH | Sound power level at standard rating conditions (Indoor/Outdoor) [dB(A)] | 60/68 | Refrigerant type | R32 | GWP ^[1] | 675 | Charge amount ^[1] [kg] | 1.08 | CO2 equivalent ^[1] [tonnes] | 0.729 | SEER | 7.9 | Energy efficiency class in cooling | A++ | Annual electricity consumption in cooling ^[2] [kWh/a] | 311 | Design load in cooling mode (Pdesign) [kW] | 7.0 | SCOP (average heating season) [W/W] | 4.6 | Energy efficiency class in heating (average season) | A++ | Annual electricity consumption in heating (average season) ^[2] [kWh/a] | 1461 | Design load in heating mode (Pdesign) [kW] | 4.9 | Declared capacity at reference design condition (Average) [kW] | 4.25 | Back up heating capacity at reference design condition (Average) [kW] | 0.650 | SCOP (Warmer) [W/W] | 5.1 | Energy efficiency class in heating (Warmer) | A+++ | Annual electricity consumption in heating (Warmer) ^[2] [kWh/a] | 1373 | Design load in heating mode (Pdesign) (Warmer) [kW] | 5.0 | Declared capacity at reference design condition (Warmer) [kW] | 5.0 | Back up heating capacity at reference design condition (Warmer) [kW] | 0.000 | [1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO ₂ , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional | | Contains fluorinated greenhouse gases. | | Importer: AHI Carrier S.E. Europe Single Member S.A. Address: 18, Kifissou Avenue, 104 42 Athens, Attiki Greece | | Manufacturer: Century Carrier Residential Air-conditioning Equipment Co., Ltd. Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong | | [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located. | | Note: Please check the model information above according to the model name on the nameplate. | |
| PRODUCT FICHE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trade Mark | Carrier | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Model: Indoor | 42QCE024D8SH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Model: Outdoor | 38QCE024D8SH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sound power level at standard rating conditions (Indoor/Outdoor) [dB(A)] | 60/68 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Refrigerant type | R32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GWP ^[1] | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Charge amount ^[1] [kg] | 1.08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CO2 equivalent ^[1] [tonnes] | 0.729 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEER | 7.9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Energy efficiency class in cooling | A++ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Annual electricity consumption in cooling ^[2] [kWh/a] | 311 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Design load in cooling mode (Pdesign) [kW] | 7.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SCOP (average heating season) [W/W] | 4.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Energy efficiency class in heating (average season) | A++ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Annual electricity consumption in heating (average season) ^[2] [kWh/a] | 1461 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Design load in heating mode (Pdesign) [kW] | 4.9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Declared capacity at reference design condition (Average) [kW] | 4.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Back up heating capacity at reference design condition (Average) [kW] | 0.650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SCOP (Warmer) [W/W] | 5.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Energy efficiency class in heating (Warmer) | A+++ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Annual electricity consumption in heating (Warmer) ^[2] [kWh/a] | 1373 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Design load in heating mode (Pdesign) (Warmer) [kW] | 5.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Declared capacity at reference design condition (Warmer) [kW] | 5.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Back up heating capacity at reference design condition (Warmer) [kW] | 0.000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| [1] Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO ₂ , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Contains fluorinated greenhouse gases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Importer: AHI Carrier S.E. Europe Single Member S.A. Address: 18, Kifissou Avenue, 104 42 Athens, Attiki Greece | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Manufacturer: Century Carrier Residential Air-conditioning Equipment Co., Ltd. Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Note: Please check the model information above according to the model name on the nameplate. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


技术要求 (版本号 E, 2017-03)

1. 此为客牌“CARRIER”产品信息卡。
2. 产品信息卡印刷颜色为黑色。
3. 该信息卡的幅面大小为：A4, 并在背面右下角空白处印刷物料编码。
4. 适用于客牌“CARRIER”机型。
5. 产品应符合QMK-J036. 1010《产品说明书技术条件》的有关要求。
6. 有RoHS指令要求的物料应符合QMK-J000. 1002《产品中限制使用有害物质的技术标准》。
7. 有REACH要求的物料应符合QMK-J000. 1008《REACH法规要求技术标准》。

Technical requirements(Ver. E,2017-3)

1. This manual(or similar material) is ___brand, which is to change the basic manual's trade mark, model and data.
(Or: providing edition to new customer)
2. The front page and inside page trade mark are dimensioned in the drawing above(or similar material) , the color is Pantone:
(undimensioned font and pattern printing color is black)
3. The manual's dimension is:(directly list the actual dimension width * hight,common occasion is A4)
4. This manual is available to the ___brand's ___unit.
5. Finished manuals shall comply with the relevant requirements QMK-J036.1010 technical requirementsfor Product Manual.
6. Materials subject to RoHS shall comply with QMK-J000.1002 Technical Standard for Restricted Hazardous Substance in the Products of MIDEA.
7. Materials subject to REACH shall comply with QMK-J000.1008 Technical Standard for REACH of MIDEA.

16122000A84781

| | | | | | |
|--------------|-----|-------|------------|--|--|
| | | | | CARRIER-EU-KFR70W/BP3N8-X430(RD6)-GW-0301 (型号 38QCE024D8SH,42QCE024D8SH,希腊) (客牌物料) | |
| 产品信息卡 | | | | 材料 铜版纸157g/m ² | |
| 标记 | 处数 | 更改文件号 | 签字 | 日期 |  广东美的制冷设备有限公司 |
| 绘图 | 张娜 | 审核 | 符春金 | 图样标记 | |
| 设计 | 张娜 | 标准化 | 符春金 | K | |
| 校对 | | 审定 | | 重量 | |
| 会签 | 龚夏靖 | 日期 | 2026.02.04 | 比例 | 1:1 |
| | | | 共 1 页 | 第 1 页 | |